






Sigmapharm Medicinal Products

| Product | Active ingredient(s) | Indications |
|--------------------|--|--|
| Coldan Nasal Drops | 1 ml contains: 1 mg Naphazoline-hydrochloride |  <p>Coldan is intended for the local treatment of common cold, allergic rhinitis, sinusitis, maxillary sinusitis, and pharyngitis.</p> <p>Naphazoline causes a constriction of nasal mucosa. Additionally, the formation of secretion of the nose is inhibited.</p> <p>The benefit of using Coldan nasal drops is felt within a few minutes after application and last up to 4 hours.</p> |
| Coldan Nasal Spray | | |





| Product | Active ingredient(s) | Indications |
|-------------------------------------|---|---|
| <p>Coldangin Lozenges</p> | <p>1 lozenge contains: 1.5 mg 2,4-Dichlorobenzyl-alcohol and 0.8 mg 6-n-Amyl-m-cresol sugarfree, with menthol</p> | <div style="display: flex; align-items: center;">  <div style="flex-grow: 1;"> <p>Coldangin Lozenges are used for the treatment of inflammatory diseases in mouth and throat (e.g. inflammation of mucosa of mouth, gingiva, blisters of oral mucosa, pharyngitis and laryngitis, hoarseness and sore throat).</p> <p>Coldangin Lozenges contain two complimentary antiseptic agents which are effective against most bacteria. By disinfecting the oral cavity and throat bacterial pathogens are fought without the use of antibiotics.</p> </div>  </div> |
| <p>Eucillin 'B' Ointment</p> | <p>1 g contains: 500 I.U. Bacitracin, 4 mg Dequalinium chloride and 1 mg Diphenylpyraline hydrochloride</p> | <div style="display: flex; align-items: center;">  <div style="flex-grow: 1;"> <p>Eucillin 'B' ointment is used for superficial inflammations and infections of the skin caused by bacteria, such as bullous rash, infection of hair follicles, intertrigo, infected eczema.</p> <p>Bacitracin is an antibiotic with a broad spectrum against many germs. The effect of bacitracin is complemented by the antibacterial and fungicidal drug dequalinium chloride. The third active ingredient, diphenylpyraline, is an antihistaminic, reducing itching, hypersensitivity and inflammations.</p> </div>  </div> |



| Product | Active ingredient(s) | Indications |
|--|-----------------------|---|
| <p>Vertirosan: -Drops -Dragees -Ampoules -Suppositories</p> | <p>Dimenhydrinate</p> | <div data-bbox="786 368 875 432" data-label="Image"> </div> <p>Vertirosan is used for prophylaxis and treatment of vertigo, nausea and vomiting of different origin as well as travel sickness.</p> <p>The well-established active ingredient dimenhydrinate is an antihistaminic agent with an antiemetic and antivertiginous effect.</p> <p>Vertirosan is available in different strengths and dosage forms.</p> <div data-bbox="1496 384 2033 1171" data-label="Image"> </div> |